



SECTION A
2
1:100



STUB COLUMN CONNECTION SECTION THROUGH UB FRAME



STUB COLUMN CONNECTION

NOTES

1. Unless noted otherwise:
 - . All dimensions in mm.
 - . All bolts grade 8.8/S.
 - . All welds 4mm E48XX continuous fillet weld.
 - . All fitments 5mm Plt.
 - . PLates grade 250MPa.
 - . All bolts M16.
2. All workmanship and materials shall comply with AS4100 & AS4600.
3. All welding to comply with AS1554 Parts 1, 2, and 3.
4. Concrete to Piers 20MPa.
5. All steelwork to be adequately propped and braced during construction until all permanent bracing and cladding has been erected.
6. Self-drilling screws to comply with AS3566.
7. All dimensions to be confirmed by builder.

INFORMATION ONLY

***MiScion Pty Ltd**
STRUCTURAL DESIGN
 www.miscion.com.au
 examples@miscion.com.au
 *T/A Roy Harrison & Associates

PROPOSED CANOPY

SKETCH


DRAWN	SCH		
DESIGNED	SCH		
CHECKED		ISSUED	07/02/02
SCALE	As shown	DO NOT SCALE	
SIZE	DRAWING NUMBER	REVISION	
A4	1062/1		

EXAMPLE

Copyright 2016 MiScion Pty Ltd
 For Reference and Study Purposes Only.
 www.miscion.com.au
 examples@miscion.com.au
 9/03/2016

ALL DIMENSIONS TO BE CHECKED ON SITE.

CAD FILE: C1062-SK1.DWG Thu 07 Feb 02 - 22:07



FRAMING PLAN
1:100

PURLINS : RP1
@900 C/C
CONTINUOUS SPAN
1 BRIDGE PER ROW



SCHEDULE OF STEELWORK		
MEMBER	MARK	SIZE
COLUMNS	C1	65x65x2.3 C450L0
	SC	65x65x2.3 C450L0
RAFTERS	R1	A150C12
BEAMS	CB1	A200C15
BACK CHANNEL	BC1	Alpha Industries
FLY BRACING	FB	50 x 2 FLAT G250
PURLINS	RP1	A75C10

CONCRETE FOOTING SCHEDULE	
COLUMN C1	P1 : ϕ 600 x 600 DEEP


NOTES

- Unless noted otherwise:
 . All dimensions in mm.
 . All bolts grade 8.8/S.
 . All welds 4mm E48XX continuous fillet weld.
 . All fitments 5mm Plt.
 . PLates grade 250MPa.
 . All bolts M16.
- All workmanship and materials shall comply with AS4100 & AS4600.
- All welding to comply with AS1554 Parts 1, 2, and 3.
- Concrete to Piers 20MPa.
- All steelwork to be adequately propped and braced during construction until all permanent bracing and cladding has been erected.
- Self-drilling screws to comply with AS3566.
- All dimensions to be confirmed by builder.


EXAMPLE
 Copyright 2016 MiScion Pty Ltd
 For Reference and Study Purposes Only.
www.miscion.com.au
examples@miscion.com.au
 9/03/2016




SECTION C
1:10



ELEVATION 1
1:100



SECTION B
1:10



ALPHA INDUSTRIES
BACK CHANNEL
1.2mm thick

INFORMATION ONLY

***MiScion Pty Ltd**
STRUCTURAL DESIGN

www.miscion.com.au
examples@miscion.com.au

*T/A Roy Harrison & Associates

PROPOSED CANOPY
CAMPBELLTOWN
--

FRAMING LAYOUT

DRAWN	SCH		
DESIGNED	SCH		
CHECKED		ISSUED	07/02/02
SCALE	As shown	DO NOT SCALE	
SIZE	DRAWING NUMBER	REVISION	
A4	1062/2		